# Zanabazar Square

Range: 11A00-11A4F

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 10.0* 

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See http://www.unicode.org/errata/ for an up-to-date list of errata.

See http://www.unicode.org/charts/ for access to a complete list of the latest character code charts.

See http://www.unicode.org/charts/PDF/Unicode-10.0/ for charts showing only the characters added in Unicode 10.0.

See http://www.unicode.org/Public/10.0.0/charts/ for a complete archived file of character code charts for Unicode 10.0.

## Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 10.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 10.0, online at http://www.unicode.org/versions/Unicode10.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, and #45, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See http://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

#### **Fonts**

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

## **Terms of Use**

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2017 Unicode, Inc. All rights reserved.

	11A0	11A1	11A2	11A3	11A4
0	11A00	11A10	11A20	N 11A30	<b></b>
1	11A01	11A11	11A21	11A31	11A41
2	<u></u>	E 11A12	11A22	<b>ग</b>	<b> </b> 11A42
3	<u> </u>	<b>1</b> 1A13	<b>ゴ</b>	11A33	11A43
4	了 11A04	<b>1</b>	11A24	<u> </u>	11A44
5	11A05	<b>X</b>	<b>1</b> 1A25	<b>)</b> 11A35	<b></b>
6	11A06	<u></u>	11A26	<b>၁</b> 11A36	<b>_</b>
7	11A07	<u>Z</u>	11A27	<u>්</u> 11A37	11A47
8	্	۵	3	ំ	TIMA!
9	11A08	11A18 <b>F</b>	11A28	11A38	
Α	11A09	11A19	11A29	11A39	
В	11A0A	11A1A <b>5</b>	11A2A	11A3A 	
С	11A0B	FE	11A2B	11A3B	
D	11A0C	11A1C	11A2C	11A3C	
E	11A0D	11A1D	11A2D	11A3D	
F	11A0E	11A1E  11A1F	11A2E	11A3E	

The common Mongolian name for the script is Zanabazarin Dörböljin Useg. It is also known as Xewtee Dörböljin Bicig or in English as the Horizontal Square Script.

#### **Vowel letter**

#### 11A00 III ZANABAZAR SQUARE LETTER A

 used for representing independent vowels in combination with vowel signs

## **Vowel signs**

11A01	ੇ	ZANABAZAR SQUARE VOWEL SIGN I
11A02	9	ZANABAZAR SQUARE VOWEL SIGN UE
11A03	ੁ	ZANABAZAR SQUARE VOWEL SIGN U
11A04	ੋ	ZANABAZAR SQUARE VOWEL SIGN E
11A05	ॅ	ZANABAZAR SQUARE VOWEL SIGN OE
11A06	ŏ	ZANABAZAR SQUARE VOWEL SIGN O
11A07	ੰ	ZANABAZAR SQUARE VOWEL SIGN AI

• also represents secondary vowel i 11A08 ° ZANABAZAR SQUARE VOWEL SIGN AU

ZANABAZAK SQUAKE VOWEL SIGN AU
 also represents secondary vowel u

11A09 © ZANABAZAR SQUARE VOWEL SIGN REVERSED I

• used for Sanskrit vocalic sounds

#### Vowel length mark

11A0A 🔍 ZANABAZAR SQUARE VOWEL LENGTH MARK

#### **Consonants**

Л	ZANABAZAR SQUARE LETTER KA
П	ZANABAZAR SQUARE LETTER KHA
П	ZANABAZAR SQUARE LETTER GA
an	ZANABAZAR SQUARE LETTER GHA
2	ZANABAZAR SQUARE LETTER NGA
ı	ZANABAZAR SQUARE LETTER CA
	ZANABAZAR SQUARE LETTER CHA
Е	ZANABAZAR SQUARE LETTER JA
а	ZANABAZAR SQUARE LETTER NYA
F	ZANABAZAR SQUARE LETTER TTA
X	ZANABAZAR SQUARE LETTER TTHA
Z	ZANABAZAR SQUARE LETTER DDA
Z	ZANABAZAR SQUARE LETTER DDHA
⊲	ZANABAZAR SQUARE LETTER NNA

11A21 ☐ ZANABAZAR SQUARE LETTER BHA
11A22 ☐ ZANABAZAR SQUARE LETTER MA
11A23 ☐ ZANABAZAR SQUARE LETTER TSA
11A24 ☐ ZANABAZAR SQUARE LETTER TSHA
11A25 Ē ZANABAZAR SQUARE LETTER DZA
11A26 Ē ZANABAZAR SQUARE LETTER DZHA
11A27 ☐ ZANABAZAR SQUARE LETTER ZHA
11A28 ☐ ZANABAZAR SQUARE LETTER ZA
11A29 ☐ ZANABAZAR SQUARE LETTER ZA

Mongolian aang

Tibetan a-chung

→ 0F60 द tibetan letter -a

11A2A Ш ZANABAZAR SQUARE LETTER YA

11A2B	Ŧ	ZANABAZAR SQUARE LETTER RA
11A2C	П	ZANABAZAR SQUARE LETTER LA
11A2D	ठ	ZANABAZAR SQUARE LETTER VA
11A2E	Ю	ZANABAZAR SQUARE LETTER SHA
11A2F	Н	ZANABAZAR SQUARE LETTER SSA
11A30	Ν	ZANABAZAR SQUARE LETTER SA
11A31	Г	ZANABAZAR SQUARE LETTER HA
11A32	21	ZANABAZAR SQUARE LETTER KSSA

### **Final consonant mark**

11A33	ọ	ZA1 MA		AR SQUA	RE FINA	AL C	ONSC	NANT
			1.0	1.4				

• used for marking a syllable-final consonant in Mongolian

• indicates a syllabic boundary in Mongolian

#### Virama

# 11A34 🐧 ZANABAZAR SQUARE SIGN VIRAMA

- indicates a bare consonant in Sanskrit and Tibetan
- not used for conjunct formation
- → 0F84 ़ tibetan mark halanta

## Candrabindu and candra ornaments

11A35	ိ	ZANABAZAR SQUARE SIGN CANDRABINDU
-------	---	-----------------------------------

• indicates nasalization

→ 0F83 ° tibetan sign sna ldan

→ 1880 o mongolian letter ali gali anusvara one

11A36 Š ZANABAZAR SQUARE SIGN CANDRABINDU WITH ORNAMENT

• used primarily with 11A3F u

11A37 Š ZANABAZAR ŚQUARE SIGN CANDRA WITH ORNAMENT

• used primarily with 11A3F ☐ → 0F82 ° tibetan sign nyi zla naa da

# Signs for Sanskrit

11A38 ° ZANABAZAR SQUARE SIGN ANUSVARA

• indicates nasalization

→ 0F7E ° tibetan sign rjes su nga ro

11A39 : ZANABAZAR SQUARE SIGN VISARGA

• indicates post-vocalic aspiration

→ 0F7F % tibetan sign rnam bcad

# Cluster-initial consonant

11A3A T ZANABAZAR SQUARE CLUSTER-INITIAL LETTER RA

• initial form of 11A2B ★ in Tibetan conjuncts

#### Cluster-final consonants

11A3B © ZANABAZAR SQUARE CLUSTER-FINAL LETTER YA

• final form of 11A2A Ⅲ in Tibetan conjuncts

11A3C g Zanabazar square cluster-final letter ra

• final form of 11A2B ₹ in Tibetan conjuncts

11A3D 🚊 ZANABAZAR SQUARE CLUSTER-FINAL LETTER LA

• final form of 11A2C **□** in Tibetan conjuncts

11A3E G ZANABAZAR SQUARE CLUSTER-FINAL LETTER VA

• final form of 11A2D  $\overline{\mathbf{B}}$  in Tibetan conjuncts

# **Head marks**

11A3F 🗓 ZANABAZAR SQUARE INITIAL HEAD MARK

- → 0FD3 ∾ tibetan mark initial brda rnying yig mgo mdun ma
- $\rightarrow$  1800 % mongolian birga
- 11A40 J ZANABAZAR SQUARE CLOSING HEAD MARK
  - → 0FD4 o tibetan mark closing brda rnying yig mgo sgab ma

### **Punctuation**

- 11A41 · ZANABAZAR SQUARE MARK TSHEG
  - ightarrow 0F0B  $\dot{}$  tibetan mark intersyllabic tsheg
- 11A42 I ZANABAZAR SQUARE MARK SHAD
  - → 0F0D | tibetan mark shad
- 11A43 II ZANABAZAR SQUARE MARK DOUBLE SHAD
  - $\rightarrow$  0F0E  $\P$  tibetan mark nyis shad
- 11A44 B ZANABAZAR SQUARE MARK LONG TSHEG
  - → 0F14 🖁 tibetan mark gter tsheg

#### **Head marks**

- 11A45 😐 ZANABAZAR SQUARE INITIAL DOUBLE-LINED HEAD MARK
  - ightarrow 0F04 ightharpoonup tibetan mark initial yig mgo mdun ma
- 11A46 2 ZANABAZAR SQUARE CLOSING DOUBLE-LINED HEAD MARK
  - → 0F05 **9** tibetan mark closing yig mgo sgab ma

## Subjoiner

- 11A47 🔯 ZANABAZAR SQUARE SUBJOINER
  - used for producing consonant conjuncts